



Guangzhou Ouster Hydraulic Co., Ltd.



NTN UCF211-203D1 Flange Block Bearings

Bearing No. UCF211-203D1

UCF211-203D1 Bearing 2D drawings and 3D CAD models

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	3.363
EAN	4547359502336
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Set Screw
Housing Style	4 Bolt Square Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	5/8 Inch
Relubricatable	Yes
Insert Part Number	UC211-203D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	4 Bolt Square Flange Block; 2-3/16" Bore; 7.2" Bolt Circle; 5-1/8" Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 2.189" Length Thru Bore; Relubricatable; S
Other Features	Single Row Light Duty



Guangzhou Ouster Hydraulic Co., Ltd.

	Wide Inner Race Has Flinger
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UCF211-203D1
Weight / LBS	7.9
Nominal Bolt Circle Diameter Round	7.2 Inch 182.9 Millimeter
D	2.189 Inch 55.601 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Bolt Spacing	5.125 Inch 130.175 Millimeter
d	2.188 Inch 55.575 Millimeter
bore diameter:	2.1875 in
radial dynamic load capacity:	9750 lb
bolt center-to-center length:	5.1250 in
radial static load capacity:	6570 lb
overall length/diameter:	6.3750 in
seal type:	Contact with Flinger
bore type:	Round
length through bore:	2-19/64 in
duty type:	Light Duty
finish/coating:	Uncoated
mounting type:	Four-Bolt Flange
lubrication type:	Lubrication Fitting
housing material:	Cast Iron



Guangzhou Ouster Hydraulic Co., Ltd.

series:	UCF2
locking device:	Set Screw
standards met:	ISO, AFBMA
expansion type:	Non-Expansion Bearing (Fixed)
replacement bearing:	UC211-203D1