



## Guangzhou Ouster Hydraulic Co., Ltd.

1.688 Inch | 42.875 Millimeter x 2.343 Inch | 59.5 Millimeter x 2.125 Inch | 53.98 Millimeter SKF SYE 1.11/16 N Pillow Block Bearings



Bearing No. SYE 1.11/16 N

SYE 1.11/16 N Bearing 2D drawings and 3D CAD models

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	3.569
EAN	7316577299185
Product Group	M06288
Number of Mounting Holes	2
Mounting Method	Stepped Sleeve
Housing Style	2 Bolt Pillow Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	1/2 Inch
Relubricatable	Yes
Insert Part Number	22209
Seals	Trigard
Housing Configuration	1 Piece Solid
Inch - Metric	Inch
Other Features	Double Row   Heavy Duty   Open End   With Grub Screw
Long Description	2 Bolt Pillow Block; 1-11/16" Bore; 2-1/8" Base to Center Height; Stepped Sleeve Mount; Spherical



## Guangzhou Ouster Hydraulic Co., Ltd.

	Roller Bearing; 6" Minimum Bolt Spacing; 6-1/2" Bolt Spacing Maximum; Relubricatab
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	SYE 1.11/16 N
Weight / LBS	9.3
B	2.125 Inch   53.98 Millimeter
Nominal Bolt Center to Center	6.1 Inch   156 Millimeter
d	1.688 Inch   42.875 Millimeter
D	2.343 Inch   59.5 Millimeter
Bolt Spacing Minimum	6 Inch   152.4Millimeter
Actual Bolt Center to Center	0 Inch   0Millimeter
Bolt Spacing Maximum	6.5 Inch   165.1Millimeter
bore diameter:	1.6875 in
expansion type:	Expansion Bearing (Floating)
overall length:	7.8750 in
finish/coating:	Uncoated
overall height:	4.2500 in
overall width:	2-3/8 in
mounting:	Two-Bolt Base
seal type:	Triple Lip
bearing type:	Spherical Roller
radial dynamic load capacity:	23000 lbf



## Guangzhou Ouster Hydraulic Co., Ltd.

bore type:	Round
radial static load capacity:	22100 lbf
housing construction:	Solid Pillow Block
maximum rpm:	3700 RPM
base to bore centerline:	2.1250 in
lubrication type:	Lubrication Fitting
housing material:	Cast Iron
end type:	Open
locking device:	Concentric Collar
series:	SYE
bolt center-to-center length:	6 to 6-1/2 in
replacement bearing:	22209
base width:	2-3/8 in